

SVGW

Schweizerischer Verein
des Gas- und Wasserfaches
Grütlistrasse 44
CH- 8027 Zürich

Zertifizierungsstelle Wasser



Zertifikat Nr.: 0301-4606

Antragsteller: AVK Holding A/S, Bizonvej 1-3, DK- 8464 Galten

Gestützt auf das Reglement ZW101 „Allgemeine Geschäftsbedingungen der SVGW Zertifizierungsstelle Wasser“ zertifiziert der SVGW die folgenden Serienprodukte:

Rubrik: Absperrklappen und Schieber
Bezeichnung: AVK Keil-Ovalschieber, mit Flansch- oder Gewindeanschlüsse
Typen: 02-DDD-60-TT (DDD = Nennweite; TT = 00, 01, 10, 11, 80, 81, 006, 016, 106, 116, 004649, 014649, 104649 oder 114649)
03-DDD-00-001 (DDD = Nennweite)
06-DDD-30-UU (DDD = Nennweite; UU = 004, 006, 014, 016, 104, 106, 118, 814, 0046499, 0060011, 004649, 014649, 0160011, 104164, 1060011, 1146499, 1160011, 8046499 oder 814 6499)
20-DDD-30-VV (DDD = Nennweite; VV = 007, 017, 00470099 oder 01470099)

DN: 25 .. 600 PN: 10 / 16 tmax= 25°C

Zertifizierungsgrundlage: SVGW ZW164 (07/17), EN 1074-1 (2000), EN 1074-2 (2000 + A1:2004)

Gültigkeit: 31.03.2023

Bemerkungen / Auflagen:
-

Der Antragsteller ist berechtigt, die oben erwähnten Produkte als SVGW zertifiziert anzubieten und das obige SVGW-Konformitätszeichen zu verwenden (Publikation im Zertifizierungsverzeichnis Wasser).



akkreditiert nach
SN EN ISO/IEC 17065

Schweizerischer Verein des Gas- und Wasserfaches
Zertifizierungsstelle Wasser


Javier Fernandez
Leiter

Zürich, 11.06.2018

Seite 1 / 2

Rubrik: Absperrklappen und Schieber

Bezeichnung: AVK Keil-Ovalschieber, mit Flansch- oder Gewindeanschlüsse

Typen	DN	PN	C*	Geräusch- gruppe	Verluste kWh/24 h / ErP Klasse	Inhalt	Index	Metrologische Klasse
Serie 02/60, Typen -0035, -0038, -0045 (DDD = DN)								
02-DDD-60-00	250, 300	10	25					
02-DDD-60-01	250, 300	16	25					
02-DDD-60-006	350 .. 500	10	25					
02-DDD-60-016	350 .. 500	16	25					
02-DDD-60-004649	200	10	25					
02-DDD-60-014649	40 .. 150	10 / 16	25					
02-200-60-014649	200	16	25					
02-DDD-60-80	200 .. 300	10	25					
02-DDD-60-81	50 .. 150	10 / 16	25					
02-DDD-60-806	350 .. 500	10	25					
02-DDD-60-10	250 .. 300	10	25					
02-DDD-60-11	40 .. 65	10 / 16	25					
02-DDD-60-11	250	16	25					
02-DDD-60-106	350 .. 500	10	25					
02-DDD-60-116	350 .. 500	16	25					
02-200-60-104649	200	10	25					
02-DDD-60-114649	80 .. 150	10 / 16	25					
02-200-60-114649	200	16	25					
Serie 03/00, Typen -010 (DDD = DN) (Gewindeanschlüsse 1" - 2")								
03-DDD-00-001	25 .. 50	16	25					
Serie 06/30, Typen -0035, -0038, -0045 (DDD = DN)								
06-DDD-30-004	250, 300	10	25					
06-DDD-30-006	350 .. 600	10	25					
06-DDD-30-014	250, 300	16	25					
06-DDD-30-0060011	500, 600	10	25					
06-DDD-30-0160011	500, 600	16	25					
06-200-30-0046499	200	10	25					
06-DDD-30-0146499	40 .. 150	10 / 16	25					
06-200-30-0146499	200	16	25					
06-DDD-30-804	250 .. 400	10	25					
06-DDD-30-814	200 .. 400	16	25					
06-200-30-8046499	200	10	25					
06-DDD-30-8146499	40 .. 150	10 / 16	25					
06-300-30-104	300	10	25					
06-250-30-106	250	10	25					
06-DDD-30-106	350 .. 600	10	25					
06-DDD-30-116	250 .. 600	16	25					
06-DDD-30-1060011	500, 600	10	25					
06-DDD-30-1160011	500, 600	16	25					
06-200-30-1046499	200	10	25					
06-DDD-30-1146499	40 .. 150	10 / 16	25					
06-200-30-1146499	200	16	25					
Serie 20/30, Typen -0035 (DDD = DN)								
20-DDD-30-007	250 .. 400	10	25					
20-DDD-30-017	250 .. 400	16	25					
20-200-30-00470099	200	10	25					
20-DDD-30-01470099	40 ... 150	10 / 16	25					
20-200-30-01470099	200	16	25					



Certificate No.: 0301-4606

Applicant: AVK Holding A/S, Bizonvej 1-3, DK- 8464 Galten

In accordance with our regulation ZW101 „general terms and conditions of the SGWA certification body water“ the SGWA certify the following serial products:

Rubric: Butterfly and slide

Denomination: AVK wedge oval valve with flange or threaded connections

Types: 02-DDD-60-TT (DDD = nominal width; TT = 00, 01, 10, 11, 80, 81, 006, 016, 106, 116, 004649, 014649, 104649 or 114649)
03-DDD-00-001 (DDD = nominal width)
06-DDD-30-UU (DDD = nominal width; UU = 004, 006, 014, 016, 104, 106, 118, 814, 0046499, 0060011, 004649, 014649, 0160011, 104164, 1060011, 1146499, 1160011, 8046499 or 814 6499)
20-DDD-30-VV (DDD = nominal width; VV = 007, 017, 00470099 or 01470099)

DN: 25 .. 600 PN: 10 / 16 tmax= 25°C

Certification Standard: SGWA ZW164 (07/17), EN 1074-1 (2000), EN 1074-2 (2000 + A1:2004)

Validity: 31.03.2023

Notes / Conditions:

The applicant is entitled to offer the above mentioned products as certificated by the SGWA and to use the above SGWA-conformity mark (publication in the list of certificates water).



accredited according to
SN EN ISO/IEC 17065

Swiss Gas and Water Industry Association
Certification body water


Javier Fernandez
Head

Rubric: Butterfly and slide

Denomination: AVK wedge oval valve with flange or threaded connections

Types	DN	PN	C*	Acoustic group	Losses kWh/24 h / ErP Class	Content	Index	Metrological class
Series 02/60, Types -0035, -0038, -0045 (DDD = DN)								
02-DDD-60-00	250, 300	10	25					
02-DDD-60-01	250, 300	16	25					
02-DDD-60-006	350 .. 500	10	25					
02-DDD-60-016	350 .. 500	16	25					
02-DDD-60-004649	200	10	25					
02-DDD-60-014649	40 .. 150	10 / 16	25					
02-200-60-014649	200	16	25					
02-DDD-60-80	200 .. 300	10	25					
02-DDD-60-81	50 .. 150	10 / 16	25					
02-DDD-60-806	350 .. 500	10	25					
02-DDD-60-10	250 .. 300	10	25					
02-DDD-60-11	40 .. 65	10 / 16	25					
02-DDD-60-11	250	16	25					
02-DDD-60-106	350 .. 500	10	25					
02-DDD-60-116	350 .. 500	16	25					
02-200-60-104649	200	10	25					
02-DDD-60-114649	80 .. 150	10 / 16	25					
02-200-60-114649	200	16	25					
Series 03/00, Types -010 (DDD = DN) (Threaded connections 1" - 2")								
03-DDD-00-001	25 .. 50	16	25					
Series 06/30, Types -0035, -0038, -0045 (DDD = DN)								
06-DDD-30-004	250, 300	10	25					
06-DDD-30-006	350 .. 600	10	25					
06-DDD-30-014	250, 300	16	25					
06-DDD-30-0060011	500, 600	10	25					
06-DDD-30-0160011	500, 600	16	25					
06-200-30-0046499	200	10	25					
06-DDD-30-0146499	40 .. 150	10 / 16	25					
06-200-30-0146499	200	16	25					
06-DDD-30-804	250 .. 400	10	25					
06-DDD-30-814	200 .. 400	16	25					
06-200-30-8046499	200	10	25					
06-DDD-30-8146499	40 .. 150	10 / 16	25					
06-300-30-104	300	10	25					
06-250-30-106	250	10	25					
06-DDD-30-106	350 .. 600	10	25					
06-DDD-30-116	250 .. 600	16	25					
06-DDD-30-1060011	500, 600	10	25					
06-DDD-30-1160011	500, 600	16	25					
06-200-30-1046499	200	10	25					
06-DDD-30-1146499	40 .. 150	10 / 16	25					
06-200-30-1146499	200	16	25					
Series 20/30, Types -0035 (DDD = DN)								
20-DDD-30-007	250 .. 400	10	25					
20-DDD-30-017	250 .. 400	16	25					
20-200-30-00470099	200	10	25					
20-DDD-30-01470099	40 ... 150	10 / 16	25					
20-200-30-01470099	200	16	25					